

CHECKLIST FOR LATENT TUBERCULOSIS INFECTION TREATMENT

| Practitioner Name: | |
|-------------------------------------|--|
| P | atient Name: |
| Please check the appropriate boxes. | |
| | 1. This patient had a positive skin test. Date test measured:/ |
| | Result of test: (Please check one) |
| | 15 mm induration |
| | ☐ 10 mm induration and the patient has some risk factors for TB. (e.g. recent arrival |
| | to U.S., resident or employee of congregate settings such as healthcare workers, |
| | child < 4 years) |
| | $\hfill \square$ 5 mm induration and the patient is immunosuppressed, HIV-infected, a contact to |
| | an active case of TB, or shows radiographic evidence of previous TB infection. |
| | Was the patient vaccinated with BCG in his/her country of origin? |
| | ☐ No ☐ Yes Date of vaccination:// |
| | 2. The patient has <u>NO</u> signs or symptoms, or radiographic evidence of active TB. |
| | Date of chest x-ray:/ |
| | 3. The patient is willing and able to complete a full course of therapy. |
| | 4. The patient will be available for clinical monitoring during the full course of treatment. |
| | 5. The patient has NO medical contraindications to treatment. (e.g. severe liver disease |
| or d | lrug sensitivity) |
| | 6. The proper label will be attached to the medication. |
| | 7. The patient has been counseled about drug interactions and side effects. |
| | 8. The practitioner will dispense the medication incident to practice. |
| | |
| | |